



NUVOTM *Concept*

ABYSS Drop Off - Panorama - 0901

ABYSS Drop Off - Peninsula - 0902

ATOLL - Cylinder - 0903

Owner's Manual

NUVO · AQUARIUM

TABLE OF CONTENTS

TABLE OF CONTENTS

Important Safety Instructions	3-5
Parts—Exploded View & Identification	
Abyss Drop Off Panorama	6
Abyss Drop Off Peninsula	7
Atoll Cylinder	8
Introduction	
Abyss Drop Off Panorama	10-11
Abyss Drop Off Peninsula	12-13
Atoll Cylinder	14-15
Maintenance Procedures	16-17
Warranty Information	18
Owners Product Information	19


WARNING

To guard against injury, basic safety precautions should be observed including the following:

READ ALL SAFETY INSTRUCTIONS BEFORE USE.

To avoid electric shock, special care should be taken since water is employed in the use of aquarium equipment. For each of the following situations, do not attempt to repair yourself. Return the appliance to an authorized service facility for service or discard the appliance.

- If the appliance falls into water, DO NOT reach for it! First unplug it and then retrieve it. If the electrical components of the appliance get wet, unplug the appliance immediately.
- Carefully examine the appliance after installation. It should not be plugged in if there is water on parts not intended to be wet.
- Do not operate any appliance if it has a damaged cord or plug, or if it is malfunctioning or if it is dropped or damaged in any manner.
- To avoid the possibility of the appliance plug or receptacle getting wet, position aquarium to one side of a wall mounted receptacle to prevent water from dripping onto the receptacle plug. A "Drip Loop" should be arranged by the user for EACH cord connecting an aquarium appliance to a receptacle. The "Drip Loop" is that part of the cord below the level of the receptacle or the connector if an extension cord is used. This "Drip Loop" prevents water travelling along the cord and coming in contact with the receptacle. If the plug or the receptacle do get wet DO NOT unplug the cord. Disconnect the fuse to the circuit breaker that supplies power to the appliance. Then unplug and examine for the presence of water in the receptacle.
- Close supervision is necessary when any appliance is used by or near children.
- To avoid injury, do not contact moving parts or hot parts such as heaters, reflectors, lamps bulbs and etc.
- Always unplug an appliance from the outlet when not in use, before putting on or taking off parts, and before cleaning. Never yank the cord to pull plug from outlet. Grasp the plug and pull to disconnect.



IMPORTANT SAFETY INSTRUCTIONS

- Do not use an appliance for other than intended use. The use of attachments not recommended or sold by the appliance manufacturer may cause an unsafe condition.
- Make sure an appliance mounted on a tank is securely installed before operating it.
- Read and observe all the important notices on the appliance.
- This appliance has a polarized plug (one blade is wider than the other). As a safety feature, this plug will fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. Never use with an extension cord unless plug can be fully inserted. Do not attempt to defeat this safety feature.
- This appliance is intended FOR HOUSEHOLD USE ONLY.

FINDING A LOCATION

- Find a location that can handle the weight of your NUVO Concept
- Do not install or store the aquarium where it will be exposed to the weather or to temperatures below freezing.
- Do not place aquarium in direct sunlight or near heater vents.
- We recommend ambient room temperature around 25° C/ 77° F.
- Place aquarium 5-6" away from the wall to allow access to the back if needed
- Make sure surrounding appliances are waterproof and move anything that might be damaged by salt creep.

ASSEMBLY

- Upon arrival please check tank and/or stand for missing parts. If parts are missing, please contact Innovative Marine for further assistance. 1-866-368-7941.

LEAK TESTING AND FILLING YOUR NUVO AQUARIUM

- Find a good location to test your aquarium.
- Your location should be level, flat and should not be in a place where can be damaged in case of a leak. (Garage or covered patio)
- Slowly fill your aquarium from the display portion of the tank and let the water naturally enter the overflows.
- Plug in your pumps and continue adding water until your water line reaches about 1" under the last baffle wall in the back of the aquarium
- Check every 8 hours over the next 24 hours for leaks. If any leaks have been detected please contact your Authorized Innovative Marine Dealer immediately.


PLACING AND LEVELING YOUR NUVO AQUARIUM

- Make sure your NUVO Concept is set on a level surface to prevent undue stress on the aquarium tank from stress and leaks.
- It is not recommended that this aquarium is set upon coffee tables, end tables, TV stands, or night stands unless the structure has been properly tested to withstand the weight limits of the aquarium.
- Please pay special attention when leveling your aquarium on carpet.
- Lift from the bottom of the aquarium DO NOT lift using the aquariums' edges this will cause stress on the acrylic and seals and may cause leakage.
- The back of the aquarium should be flush with your stand and all four corners are not overhanging the edges.
- Once you have placed your aquarium atop your table or stand, make sure your stand has not moved from its position.
- Place a level on edge of tank, if necessary readjust and reposition tank and stand.

PARTS
Exploded View

NUVO Concept Abyss - Panorama


Model #:
0901



#	Description	Item Code
1	Abyss Pedestal	090100
2	Acrylic 20 Gallon Aquarium	090101
3	200 Micron Filter Sock	9003
4	Elbow Connector	000016
5	Flare Nozzle	000012
6	Return Hose	030002
7	"Y" Connector	000013
8	211 GPH Return Pump	020004

NUVO Concept Abyss - Peninsula

Model #:
0902




#	Description	Item Code
1	Abyss Pedestal	090100
2	Acrylic 20 Gallon Aquarium	090201
3	200 Micron Filter Sock	9003
4	Elbow Connector	000016
5	Flare Nozzle	000012
6	Return Hose	030002
7	211 GPH Return Pump	020004

PARTS
Exploded View

NUVO Concept Atoll


Model #:
0903



#	Description	Item Code
1	Atoll Pedestal	090300
2	Acrylic 12 Gallon Aquarium	090301
3	200 Micron Filter Sock	9003
4	Elbow Connector	000016
5	Flare Nozzle	000006
6	Return Hose	020003
7	92 GPH Return Pump	020001

PARTS
Exploded View

NUVO Concept Abyss - Panorama



Features:

DIMS: Length 20" Width: 15" Height: 17" (Tank)

8mm Flame Polished Acrylic

Dual Built-in Overflows



Rubber Leveling Mat

(2) - Removable 200 Micron Filter Socks

(1) - 11W 110v/60Hz 211 GPH Return Pump

Includes flexible hose and return elbows with Dual Directional Flow Nozzle


FILTRATION



1. Micron Sock Filter Column
2. Skimmer Column
3. Return Pump/Water Reservoir Column (ATO Sensor Column)
4. Reactor/Heater Column

(Heater, Skimmer, Media Reactor not included)

NUVO Concept Abyss - Peninsula



Features:

DIMS: Length 15" Width: 20" Height: 17" (Tank)

8mm Flame Polished Acrylic

Dual Built-in Overflows



Rubber Leveling Mat

(1) - Removable 200 Micron Filter Socks

(1) - 11W 110v/60Hz 211 GPH Return Pump

Includes flexible hose and return elbows with Dual Directional Flow Nozzle


FILTRATION



1. Micron Sock Filter Column
2. Skimmer or Media Reactor Column
3. Return Pump/Water Reservoir Column (ATO Sensor Column)
4. 200 Micron Filter Sock

(Heater, Skimmer, Media Reactor not included)

NUVO Concept Atoll



Features:

DIMS: Diameter: 17.7" Height: 11"

6mm High Clarity Acrylic


Built-in Overflow

(1) - Removable 200 Micron Filter Socks

(1) - 8W 110v/60Hz 13-92 GPH Return Pump

Includes flexible hose with return elbow and Dual Directional Flow Nozzle

FILTRATION



1. Micron Sock Filter Column
2. Skimmer & Media Reactor Column
3. Return Pump/Water Reservoir Column (ATO Sensor Column)

(Heater, Skimmer, Media Reactor not included)

Regular maintenance is necessary to keep successful aquarium.

PLEASE NOTE: *Unplug pump before water changes or replacing media.*

WATER CHANGES

Water changes should be performed once every 2 to 4 weeks depending on the bio-load.

A minimum of a 25% water change is essential to keep dissolved organic to a minimum.

REPLACING FILTER SOCKS

Filter Socks should be replaced every month or as needed to remove trapped debris and free floating particulate matter.

- Lift the Micron Sock out from the Micron Sock Column.
- Replace with the NUVO Aquarium Micron Sock

We recommend using Innovative Marine's 200 Micron Filter Sock (Part #9003) for optimal fit and to prevent bypass that may occur by other manufactures filter media.

PLEASE NOTE: *Please rinse filter sock under RO water to remove any dust or debris that might have been collected while stored.*


First time use of a brand new filter sock may cause increased protein skimming. Please monitor your protein skimmer so overflowing of your collection cup does not happen.

REPLACING/CLEANING PUMP & PUMP IMPELLER

In order to maximize the life of your pump, it is crucial to perform the proper periodic maintenance at designated intervals. We recommend cleaning your pump and impellers every 2-4 weeks.


NUVO Concept Abyss and Atoll

- Unplug pump from power strip
- Unplug return elbow(s) out from the return hole on filter wall
- Raise each return elbow upward and remove pump from filter chamber



NUVO Concept Abyss and Atoll continued.

- Remove bottom pump cover. (Atoll Only)
- Disassemble the impeller holder coupling from pump motor (Abyss Models only)
- Lift out the impeller & shaft from pump motor



WARRANTY INFORMATION**LIMITED 1 YEAR WARRANTY -
NUVO Concept Aquariums**

The NUVO Concept Aquariums have a 1 YEAR limited warranty. The NUVO Concept Aquariums are warranted to the original purchaser against defective material and workmanship for **1 YEAR from the date of original purchase**. This warranty is valid only under the following conditions: additions, modifications, or changes made to the product by the purchaser and not by the manufacturer shall void this warranty. Damages brought on by abuse, misapplication, or mishandling also voids this warranty.

This warranty is limited to the repair or replacement of the product at the discretion of the manufacturer. This warranty does not cover personal injury, property loss, including livestock or damage (direct, incidental, or consequential) arising out of use of this product. This warranty gives you specific rights and you may also have other rights, which may vary from state to state.

The Product Registration Card must be filled out completely and returned within (14) days from the date of purchase. Failure to do so will void this warranty.

A proof of purchase from an authorized dealer must be provided when making a warranty claim.

For Warranty Claims please contact our Customer Care Department. 866-368-7941

A RMA# must be issued before sending any product back to Innovative Marine. Products sent back to Innovative Marine without a RMA# will not be accepted. Service on products will not extend the original warranty period.

Email: warranty@innovative-marine.com

PRODUCT INFORMATION**MODEL #****AQUARIUM
SERIAL #****DATE OF
PURCHASE**

Please keep your receipt in a safe place to ensure you have this information.



WWW.INNOVATIVE-MARINE.COM

A Division of

